



↙ FIR TREE ASPHALT REMOVAL




- SCOPE OF WORK:**
- (A)** ASPHALT REMOVAL: 1000 SQ FT
~1000 SQ. FT. ASPHALT REMOVAL FOR NEW CENTRAL RAIN GARDENS ESCAPE ROUTE TO EXISTING
 - (B)** NEW EAST RAIN GARDEN
~120 SQ. FT.
STORMWATER TO ESCAPE TO STREET
- INFILTRATION TEST RESULTS:** 4.8" PER HOUR
- PARKING:** PROJECT WILL NOT IMPACT PARKING
STALLS CONFORM TO 90 DEGREE PARKING REQUIREMENTS
4 REQUIRED ADA SPACES
ALL EXISTING STALLS TO REMAIN

CENTRAL RAIN GARDEN DETAIL
SECTION A - A'
NOT TO SCALE



EAST RAIN GARDEN DETAIL
SECTION B - B'
NOT TO SCALE



PLAZA 122 Community Investment LLC
1427 SE 122nd Ave, Portland, OR 97233
PARKING LOT STORMWATER RETROFIT
FALL 2019
(1 of 2)


DATE: 7-11-19

Mercy Corps
45 SW Ankeny St.
Portland OR 97204

Sven Gatchev
P: 503.896.5073
E: sgatchev@mercy Corps.org

Depave
P.O. Box 12503
Portland, OR 97212

Katya Reyna
P: 708-819-1012
E: katya@depave.org



SCALE: 1"=20'

10' 20' 40'



----- PROPERTY LINE

SCOPE OF WORK:

 ASPHALT REMOVAL: 680 SQ FT
 FIR TREE ASPHALT REMOVAL
 ~ 680 SQ FT NEW VEGETATED AREA
 TO RELIEVE FIR TREE ROOTS AND
 ADD NATIVE SHRUB UNDERSTORY

*NO STORMWATER WORK
 IN THIS LOCATION

INFILTRATION TEST RESULTS: 4.8" PER HOUR

PARKING
 STALLS CONFORM TO 90 DEGREE PARKING
 REQUIREMENTS. ALL EXISTING STALLS TO REMAIN



PLAZA 122 Community Investment LLC
 1427 SE 122nd Ave, Portland, OR 97233
 FIR TREE ASPHALT REMOVAL PLAN
 FALL 2019
 (2 of 2)

DATE: 7-11-19

Mercy Corps
 45 SW Ankeny St.
 Portland OR 97204

Sven Gatchev
 P: 503.896.5073
 E: sgatchev@mercy Corps.org

Depave
 P.O. Box 12503
 Portland, OR 97212

Katya Reyna
 P: 708-819-1012
 E: katya@depave.org